

www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)





## (50 to 60% paper is from this file

## <u>Inshllah)</u>

- ✓ Clear FCPS-1 in FIRST ATTEMPT
- ✓ Entire course will be completed in 2 months.
- ✓ Live lectures via video Portal
- Daily Test session (Test discussion will be on Via Portal)
- Follow our complete guideline for FCPS-1
- ✓ Get Hands on 20,000 CPSP question (most of them repeat)
- Free study material, whatsapp group (only for our students)
- Don't Miss the chance. (LIMITED SEATS AVAILABLE.)
- WWW.FCPSWORLD.com
- WWW.facebook.com/fcpsworld
- ✓ For Details Phone# 03129684658
  - ✓ Now you can join us Online for MD/MS & Fcps Preparation.
  - ✓ Complete course in 2months including Past paper discussion
  - ✓ Join from anywhere using mobile/laptop using internet
  - √ 100% feasible with job and 100% time adjustment for students
  - √ www.fcpsworld.com or Contact 03129684658
  - ✓ Hostel Facility is also available (for those who want to join physical classes)







#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

#### (Errors and omissions excepted)

Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- shortest acting local anesthetic ----> Procaine
- marker of ovarian tumor ---->CA 125
- Bromocriptine side effect is---->Nausea
- Sympathetic activity on heart ---->Inc. Heart rate
- Negative feedback of sertoli cells is to ---->FSH
- wearing tampons developed fever andhypotension. Cause is----> S. Aureus
- In chronic inflammation tissue damage is due to---->Oxygen free radicals
- \* Lactating lady came to office with severe pain. Algesic suitable---->Ibuprofen
- ❖ loss 2 lit of water and drank 2 lit of water, what will increase ----> ICF volume

Central tendency ---->a central tendency (or measure of central tendency) is a central Cram
Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- or typical value for a probability distribution, it may also be called a center or location of the distribution. Colloquially, measures of central tendency are often called averages.
- Thalassemia diagnosed in pregnancy by——>HbA2
- blood supply of pituitary gland ---->Internal carotid artery
- weakness tingling sensation with anemia---->Vitamin B12 deficiency
- Lesion of nucleus gracilis and cuneatus cause----> Astereognosis
- \* pregnant lady had hb 8, MCV 60, ferritin 200. cause of anemia---->Thalassemia trait
- Femoral artery palpated in---->Mid inguinal ligament

bilateral adrenal gland enlargement and cortical hemorrhage.organism involve----> N. Meningitis (Waterhouse–Friderichsen syndrome (WFS) is defined as adrenal gland Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- failure due to bleeding into the adrenal glands, commonly caused by severe bacterial infection. Typically, it is caused by Neisseria meningitidis. The bacterial infection leads to massive bleeding into one or (usually) both adrenal glands.)
- is part of Broad ligament----> Mesosalpinx (The broad ligament is divided into the mesometrium (largest portion), the mesosalpinx (mesentery of the uterine [fallopian] tubes), and the mesovarium (connects the ovaries to the broad ligament).)
- ❖ Internal capsule blood supply is by---->Anterior 1/3rd by ACA, Posterior 2/3nl by MCA
- hepatitis D is associated with---->HepB
- Diet rich in vitamins ----> Green vegetables
- Differentiating test is for iron is by---->Serum ferriting
- Huntington disease feature---->Chorea form movements
- breast drains into ---->Anterior
- Peptic ulcer pain transmitted by -----> Greater thoracic splanchnic nerve
- During difficult vaginal delivery muscle get damaged ---->levator ANI
- ❖ Antidote of warfarin ---->protamine
- Diaphragm develops from---->Learn ALL
- \* Reversal (paracetamol)----> Acetyl cysteine
- Aneuploidy is ---->change in chromosome number
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- inspired forcefully and expired normally, volume is----> Inspiratory capacity
- Polycystic kidney disease in adults----> Autosomal dominant
- post C section likely artery bleeding is due to----> Uterine artery
- Lymphatic drainage below hymen goes to ----> superficial inguinal lymph nodes
- Left leg stroke left lower facial palsy damage is at---->Internal capsule



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Uterus crossed by structure ---->Ureter
- A pregnant lady on bed rest, develops painful swelling. Cause is ---->DVT
- Prevention of coagulation by ---->Prostacyclin
- Supra renal gland arterial supply is by---->Inferior phrenic artery
- Superior rectal artery is a branch of ---->Inferior mesenteric artery
- Mediator of pain is ----> bradykinin
- Antibodies are formed by ---->Plasma cells
- ❖ largest cell in blood ---->Monocyte
- Asthma involves ----> Medium branchioles
- \* Hypothyroidism, DOC ----- levothyroxine
- Outbreak of diarrhea type of study (EPIDEMIC)---->Cross sectional
- structure close to crus cerebri ----> substantia nigra
- Child with frontal bossing bow legs and lock knee it is seen in ---->Rickets.
- Rigor mortis is due to ---> Decrease ATP
- ❖ cricoid cartilage is at---->
  C6
- bronchopulmonary segment are---->independent
- Insertion of psoas muscle ---->Lesser trochanter of femur
- Virus causing cervical cancer is ---->HPV16
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Uterine is maintained by ----> Progesterone
- Nucleus ambiguous supply ----> Constrictor of pharynx
- Air borne disease ---->Anthrax
- Most common cause causing septic meningitis ---->strep. pneumoniae



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Shortest pre erythrocytic phase is of---->P. Falciparum
- Cytokeratin is ---->Intermediate filament
- body response to acidosis---->CNs depression/ hyper ventilation
- Neck land mark ---->Sclaenous anterior
- Allantois forms----> Urachal fistula
- N Supply of vulva ---->Ilioinguinal nerve
- CA cervix is associated with ----> Multiparity
- Highest oxygen tension is seen in ---->Pulmonary capillaries
- Most common hepatitis leads to cirrhosis --->Hep C
- programmed cell death --->Apoptosis
- Most repeated value is ---> Mode
- ❖ osteon histology---->Circumferential lamella
- Extra embryonic mesoderm develops from ---> Epiblast
- right kidney has anterior---->2nd part of duodenum
- \* Kajal cells extending projection ----> Protoplasmic astrocytes
- child with peritonsillar abscess. Likely organism----> Streptococcus
- Mechanism of action of enzymes ---->decrease activation energy
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Data obtained in presence or absence of disease---->Nominal
- ❖ Blood supply of the heart depends on---->Oxygen consumption
- Ketone bodies formation occurs due to ----> Insulin deficiency
- At the end of exercise ---->Increase glucagon decrease insulin.
- Passive immunization is due to----> Immunoglobulins



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Superficial epigastric artery is branch of ---->Femoral Artery
- ❖ Abundant cells in lamina propria of vagina ---->Elastic Fibers
- \* man picks up heavy books, suddenly books fall---->Golgi tendon reflex
- Oocytes complete their first meiotic division ----> Just before ovulation
- pregnant with high grade fever passing dark colored urine. Cause is----> Falciparum malaria
- maintains balance between calcium and phosphate ---->PTH
- local anesthetic that cause relaxation of uteter----> Bupivacaine
- side effect of protamine ---->Hypotension
- ❖ In exercise, skeletal muscles get glucose from ---->Hepatic Glycogenolysis
- ❖ Trauma to one kidney without the perforation of gerotas fascia blood goes to ----->
  ≥Inferior to pelvis.
- Lesser sac is situated between ---->Stomach & pancreas
- Thymus location---->inferior border of thyroid
- Sperms become motile in --->Epicicymis
- breast lymph nodes parallel to---> internal thoracic vessels
- usg frequency is upto---->20000Hz
- 5th month pregnancy has thyrotoxicosis, DOC---->Methimazole
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Parasympathetic nerves supplying urinary bladder ----> Pelvic splanchnic nerves
- ❖ prolapse of utreus is due to---->Cardinal ligament
- Second degree heart block result in ----> more arterial contraction, less ventricular contraction
- Left shift of oxygen Hb-oxygen dissociation curve due to---->Dec.PCO2



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Thyroglobulin is secreted by ----> Follicular cells
- \* neck of bladder lies above ----> Urogenital diaphragm
- stratified squamous epithelium is in----> Vagina
- Ureter develops from ----> Mesoderm.
- treponema pallidumis causes---->Genital sores
- dead fetus on USG. Best next step is----> Evacuation
- PCOS treated by---->Metformin
- Boy eats fast food there is deficency of---->folic acid and b12
- Ureteric stones most commonly formed in---->Pelvic brim
- intermenstrual bleeding, 1st diagnosis ---->PAP smear
- malignant hyperthermia. Receptor involved is ---->Ryanodine receptor
- relation of ureter is closest to----> Uterine artery
- scnerio of hemorrage. CSF is blood stained. Diagnosis is---->Subarachnoid hemorrhage
- hormone is responsible forovulation ---->FSH
- Supply of external urethral sphincter--->Pudendal nerve
- \* Abnormal looking left entropic field, single palmar crease---->Down syndrome
- sastric ulcer pain is due to ----> Greater splanchnic
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- posterior to bladder are---->Seminal Vesical and ureter
- Micturition center present in---->Pons
- Ionizing radiation cause cancer by---->Free radicles
- age 21 married girl having 8 weeks of amenorrhea and pain----> Ectopic pregnancy
- Veins of brain are from---->Dural sinuses



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- bandage for fracture of tibia; muscle atrophy cause----> Decreased number of actin and myosin
- Norepinephrine is released by----> Preganglionic sympathetic nerve fibers
- Delivery possible if ----> Subpubic angel > 90 degree
- cabergoline is---->D2 agonist
- \* MOA of methyldopa---->Alpha receptor agonist in CNS (centrally acting)
- unilateral hydronephrosis. Site of obstruction---->PUJ
- Posterior ramus of C2 gives---->Greater occipital nerve
- problem ingiving systemic steroids to diabetic patient---->Deranged diabetic control
- UMN lesion feature---->Hyperreflexia
- Most common cause ofthrombophili A is---->Protein C deficiency
- ❖ lymphatic drainage of the lower lip---->Submental and submandibular
- Superficial epigastric artery emerges through ---- Saphenous opening
- Increase effect of lidocaine with 1200000 epinephrines
- LH surge is caused by---->Estroger
- \* CA endometrium is ---->Adenocarcinoma
- irregular thickening of bone is due to---->Increase GH
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Albumin not filtered from basementmembrane due to---->Negative charge
- Best way to measure GFR---->Inulin
- contributes in lumbar triangle----> Iliac crest
- hematopoietic stem cells in myelocytic stage are---->CD34 positive
- Candidiasis are---->Common in pregnancy



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



### www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- sases transported in alveoli to pulmonary capillaries by----> Passive diffusion
- hx of abortion with mass in vagina having cytotrophoblast and syncytotrophoblast.
  Lab will show----> Raised HCG
- antimitochondrial antibodies is in----> Primary biliary cirrhosis
- Blood supply of basal ganglia---->MCA
- pregnant lady die of embolus. Type is----> Amniotic fluid embolism
- liver in fetus is---->5 percent of total body weight
- \* Taste pathway----> 2nd order neuron to tractus solitarius
- hormone associated with puberty--->high GR
- Parasympathetic system function---->Relax git sphincters
- pill rolling tremors is in damage to----->Substantia nigra
- ❖ large knee injury. Wound not healing. Cause is----> Mobility
- Doc to treat endometriosis---->Danazol
- common cause of PCOS---->Autoimmune

A pregnant female visited to remote area. Have jaudiance. cause of hepatitis---->HAV Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- (feco oral, poor hygiene)
- homeostasisis maintained by---->Negative feedback
- High kayrpnotic index indicate----> Cervical dysplasia.
- most important function of progesterone---->secretory phaze endometrium



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- dyspareunia and infertality. Cause is---->Endometriosis
- Peroxisomes is formed by---->SER
- Amount of iron in adult female is---->2g
- sampling every person has equal chance of being selected is ----> Random sampling
- Mullerian-inhibitory factor secreated by---->Sertoli cells
- \* EBV cause---->Burkett lymphoma
- ❖ yellow cough sputum in 50yr man. Organism is---->Staph Aureus
- \* study design is for studying diseases----> Case control study
- Ligament can be palpated on DPR-->Uterosacral
- during c section accidently ligated ----> Ureter
- cells cause lymphocyte production turn over ---->Zona fasciculata
- Propylthiouracil is safe in---->pregnancy
- ❖ Is part of levator ANI ---->Puborectalis
- hypersensitivity reaction of myasthenia gravis is ----> Type 2
- ❖ in anorexia nervosa ---->loss of apatite
- cancer can spread directly to the labia majora in lymphatics of---->Round ligament of the uterus
- ❖ Internal jugular vein after leaving from jugular foramen ---->Internal carotid artery
- A boy eating mud has SOB. Organism may be---->Ascaris
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- anal canal has---->Striated muscles
- ❖ Blood warming curve moves to ---->Left to right
- Propranolol in hyperthyroidism cause---->Increase the formation of reverse thyroxine
- shockcausing degranulation of mast cells ----> Anaphylactic shock



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- First step in CSF formation ----> Ultrafiltration of sodium
- primary amenorrhea, imperforate hymen, absent uterus and ovaries. Karyotype ---->
  Testicular feminization
- drug is used to treat hypothyroidism ---->Levothyroxine
- Mid value in upper and lower limit is called ----> Median
- most common immunoglobulin is in serum ---->lgG
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Cause of esophageal carcinoma ---->Nitrosamine
- obesity with high FSH LH. diagnosis --->PCOS
- ❖ Labia majora lymph nodes ---->Superficial inguinal lymph nodes
- Cytokeratin is part of filaments ---->Intermediate filaments
- Earliest manifestation of vitamin A deficiency ----> Night blindness
- type of nacrossis in liver--->Caseous necrosis.
- A soldier returned from Siachen with peripheral cyanosis. Reason----->Secondary polycythemia
- \* micturition reflex is by---->Sacral segments of spinal cord
- ❖ in Medio lateral episiotomy performed muscle is cut ----> Bulbospongiosus
- ❖ A female having curdy white vaginal discharge.----> Candida albicans
- ❖ Dorsal vagus nucleus present ---->Medulla
- \* Child with recurrent infections. Cause deficency of---->IgA
- Down syndrome is associated with---->Alzheimer s disease
- Filtration of substance minus excretion ----> Renal secretion



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Injection 2cm below and Lateral to pubic tubercle will damage ---->Obturator nerve
- bone formed by both membranous and endchondrial ossification ---->Mandible
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- ❖ In muscle spindle reflex ---->Quadriceps muscle contracts
- Patient having Na 170 meq/L, K 2 meq/l, pH 8. hormone level is raised ---->
  Aldosterone
- Structure forming pelvic inlet ----> Pubic crest
- inferior fascial layer of peritonium is---->Perineal membrane
- loss of sensation of pain and temperature sensation ----> Syringo myelia
- ❖ lateral group of breast drain into

  ——>Axillary
- stimulate spermatogenesis ----> Testosterone and FSH.
- Vitamin for coenzyme A ---->Pantothenic acid
- \* androgenital syndrome. Karyotype is 1112/16XX
- Birth canal is supplied by ---->Inferior hypogastric plexus
- Feature of neurogenic shock ----> Dec. total perepheral resistance
- \* nerve traverse superficial inguinal ring ----> Ilioinguinal nerve
- Inhibition of ovulation in lactation by---->Prolactin
- Inverted t waves with prominent u waves seen in---->Hypokalemia
- genital vesicles. virus is responsible ---->HSV 2
- ❖ Inhalational anesthetics acts on ---->Reticular activating system.
- Sperm becomes motile in---->epididymis
- In staining cytokeratin indicates ----> Neoplasia



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Asprin in low dose reduces----> TXA2
- 3rd degree burn cause----> Keloid
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- dermatitis and loss of memory due to deficiency of---->Niacin
- \* after Gastrostomy give---->Injection of vitamin bl2.
- Vulva lymph drains into ---->Superficial inguinal lymph nodes
- Mucous acini secreted from ---->Sublingual gland
- \* mcv 125. MCH 44. type of anemia ----> Megaloblastic anemia
- Supply of levator ANI ----> Pudendal nerve
- Bone density is measured by ---->DEXA scam
- \* enzyme produced by brush border is---> Lactase which cause lactose intolerance
- A child cut his finger by knife, first mechanism is----> Vasoconstriction
- \* Best site of pleurocentesis ----> 9th ICS midaxillary line
- Cushing syndrome feature ----> Abdominal striate
- ❖ Calcitonin given in ---->Rages disease IIIANI D
- What is precocious puberty ---->Early onset of puberty
- Cervical CA organism---->HPV16
- cause of primary hepatocellular carcinoma ----> Aflatoxin
- \* Cause of infertility is---->Oligospemia
- scnerio og appendectomy, 2 feet away on antimesenteric border, that is ---->Meckel s diverticulum
- total body water is 42L. Interstatial fluid is---->11L
- Spore forming bacteria ---->Clostridium defficile
- Hyoid bone lies at ----> C3



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Lymphatic drainage from lateral part of breast ---->Anterior axillary nodes
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Histology of macula densa ---->Large cells with prominent nuclei and scattered mitochondria in periphery
- Testosterone levels are in higest in---->Preschool age
- ❖ A pregnant lady of 2nd month with Hb 9.5, MCV 35, MCHC 22, ferritin 170. What is the diagnosis ---->Thalassemia trait
- Transitional epithelium of bladder is derived form---->Endoderm
- Change in shape and size Morphology --->Dysplasia
- ❖ In neonate, spinal cord ends at → >L3
- ❖ IUCD side effects ---->Irregular vaginal bleeding
- relation of ureter is closest to--->Uterine artery
- Ureter develops from ---- Mesonephric duct
- Enzyme raised after 6 hours of acute MI -----
- Acute pancreatitis type of necrosis ----- fat
- Articular cartilage is ------ hyaline cartilage
- Grading of a tumor shows ----- Nuclear Differentiation
- ❖ Baby prefers bottle milk over breast milk, cause ----- cleft soft palate
- ❖ Blood group O in Caucasians ----- 47 %
- Tb type of hypersensitivity ----- type 4



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)

# ECPS WORLD

#### Www.Fcpsworld.com (Institute for Fcps & Md/Ms)

#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Aspiration of foreign body in SUPINE position, the object will be lodged in which lung lobe ------ Superior bronchopulmomary segment of right lower lobe
- Infant lateral surface of palm stroked with key result in ----- dorsiflexion of big toe
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- A Primigravida in labor is not delivering baby per vaginal. O/E prominent ischial spines, narrow subpubic angle but the finger could not reach sacral promontory. What is type of pelvis is it ----- android pelvis
- Falciform ligament is derivative of ----- Ventral mesogastrium
- extra ocular muscle attached to limbus ----- medial rectus
- ❖ Ischiorectal fossa medial wall----- Levator ani muscle
- Last thing in closing interview Show authority
- Harmone not increase in pregnancy GH
- Palatine tonsil drain ---- uglodiagastric
- Pt had RTA ---- blunt trauma to abdomin which of the cell will no enter into G1 and will remain in G0------skeletal muscle
- Iymph flow decreased due to \_\_\_\_\_hemorrhage
- \* Baby arms legs emaciated belly protred et investigation ----- microalbumin
- Below knee amputation, Nodular swelling. Biopsy show nerves ----- neuroma
- Star shaped lumen ----- Ureter
- Muscle Close to corneal limbus ----- medial rectus
- Pregnant lady delivery in village ,pt aptt raised ....DIC
- Carbohydrate absorption is different in pregnant women as compared to normal women ------
- ❖ In HIV pt having Otitis media, commonly organism ----- pnemocystc carini
- ❖ O2 is more in in fetal life ----- Umbilical vein



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



## www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

*	after emerging juglar formina immediate relation of internal jugular vein is Int
	carotid artery
*	Level of body of hyoid bone c3
*	Condyloma acuminatum is feature of herpes simplex
*	Blood supply of stylohyoid bone facial
*	Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file
*	Site of lumber puncture 13 – 14
*	Cauliflower lesions on perianal region causative agentHPV
*	Softening of cervix is due to prostaglandin
*	incisional hernia first affects Transversalis fascia
*	Internal oblique forms conjoint tendon
*	Pre-eclamptic patient in OT for emergency LSCS. Her BP is 190/110 mm of Hg. drug use
	Hydralazine
***	In megaloblastic anemia give IV vit b12
*	In Duchene muscular dystrophy protein defect dystrophin
	Medial quadrant of the breast drains into internal thoracic LN
*	Testicular swelling. LDH raised seminoma
*	Pregnant women fever with rigors m chills vaginal watery discharge
	Chorioamnionitis CCDC WADLD
*	post op pain treatment paracetamo
*	PDA close by administer indomethacin
*	Treatment of hyperthyroidism in 20w pregnancy Methimazole
*	Longest incubation period of which mosquito specie Falciparum malaria
*	Renin secretion inhibited ADH
*	Lambert Eaton syndrome antibodies against Ca+ channels
***	Musculoskeletal growth changes are seen in achondroplasia
*	Cervix lymph drainage Internal iliac node
	Howships lacunae have osteoclast
*	Pt came with shock what should be given dopamine (poor recall best in
	options)
*	Structure closest to Crus cerebri substentia nigra



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Chi sq test is use for ----- association b/w two variable
- Gets his finger cut by a knife. Which one of the following is primary/early mediator of acute inflammatory ------ histamine
- A patient presented with left sided limb paralysis, paralysis of right lower face and homonymous hemiplegia. Lesion is present in ------ cerebral cortex
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Hook worm infection, what will increase----- esinophilic chemotactic factor
- Transitional epithelium of bladder is derived from ----- endoderm
- Ovulation does not occur in lactation due to inhibition of Gnrh by ----- prolactin
- lactation does not occur in pregnancy due to ----- estrogen
- Patient has microcytic hypochromic anemia, on microscopy of stool eggs were noticed ------ Ancylostoma duodenal
- FSH is inhibited by ----- inhibit
- Nisseria ghonorrhea ---- gram ve diplococcus
- On u/s dead hydrocephalus fetus at -2 station, where to insert needle to drain CSF ------Posterior fontanelle
- ❖ Pt has a hip fracture in a RTA after which when he stands on his left leg his right hip sinks down. ------ left Gluteus minimus /medius
- Antimullarian hormone is produced by HIATH The sertoli cells
- Local anesthetic cross placenta through! Visual simple diffusion

Airborn transmission ----- Anthrax (tb, diphtheria are also airborne but they Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- are transmissted by droplets so either chose Tb as common or Anthrax)
- A pt presented to OPD with complaints of easy fatigability, pallor, body aches. Her labs show Hb 6.5, MCV 22, and MCHC 26. Whats the underline cause --------- Iron deficiency anemia
- ❖ Bacteria killed by heat method ----- Oxidation
- 90 % of anthrax pt. will have ----- Skin lesion
- Ovary drains into ----- Para aortic
- Ca cervix will by drain by ----- internal iliac
- ❖ Failure rate of IUCD -----<1%



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

*	Thaimine deficiency result in cardic failure
*	Thaimine deficiency result in peripheral neuritis
*	During hysterectomy ovarian artery damage at pelvic brim
*	during laparotomy near ovarian fossa which structure is prone to get injured
	Internal iliac nerve
*	Bulbourethral glands part of deep perennial pouch
*	Mediolateral episiotomy which structure damaged Bulbospongiosus
*	Most common cause of sub-acute bacterial endocarditis Strep viridian
**	Virus cause changes in proto oncogenes
*	The half-life of a drug is 10 hours which is given in a continuous infusion. The steady
	state will be reached in how many hours 60
*	Percent of o blood group in population47
*	Grading of a tumor shows differentiation/type of cell
*	Cram Statements Inshligh 70 % paper will come from this file. DO not skip this file.
*	Most common cause of non obstetric death in our country domestic violence
*	Leukemia pt with chemotherapy done. Which organism cause oral infection
	candida
*	Mid value in upper and lower limit is called median
*	High karyopyknotic index indicate use for the estrogen activity
*	In pregnancy Plasma volume increases
*	Genotype of true True hermaphrodite xxy
**	Graves disease antibodies Antibodies against TSH receptor
*	Renal column contains Interlobar artery
*	Bromocriptine act on d2 to inhibit prolactin
*	Decrease milk production after delivery Defect in which structure Pituitary
***	Hydrothiazide causes hypokalemia
*	Short acting hypoglycemic agent tolbutamide
*	Paramesonephric remnant in males appendix testes
*	Chi square testconfidence interval
*	Fetal monitoring continuously byfetal scalp electrode
*	In Testicular feminization syndrome Rudimentary vagina is present



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Characteristic of hymen ----- stratified squamous epithelium that is not keratinized
- Pre-terminal bronchioles contain epithelium ----- Pseudo stratified ciliated Epithelium (poor recall. In actual epithelium of pre-terminal bronchiole is S. Columnar ciliated with goblet cells) [terminal bronchioles have S. cuboidal partial ciliated cells with CLARA cells; goblet cells are absent in terminal bronchioles]
- Generalized Lymphadenopathy feature of ----- infectious mononucleosis
- Uv prolapse and cervix at introitus, damaged structure is ----- uterosacral ligament
- Hyaline cartilage is present in---->larynx
- After rta, patient cannot speak and produce sound, lesion at----> motor cortex
- Ovulation does not occur during lactation due to inhibition of gnrh by---->prolactin
- A tall man with high bitemporal hemianopia and infertility. What is the most likely cause---->prolactinoma
- Surface epithelium lining of the ovary is by---->simple cuboidal
- Uv radiation causes ---->cataract
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Lobe has only 2 bronchopulmonary segments—->right middle lobe
- Tractus solitarius is formed by---->2nd order neurons
- Small intestine shows numerous crescent—shaped protozoa adjacent to epithelial brush border. Pathogen involved----giardia lamblia
- After pregnancy and parturition, uterus size reduced by---->lysosomes
   Pain of ovary transmitted to medial part of thigh---->obturator nerve
   Anteroposterior diameter of eye ball--->22-26

- Pia mater---->extends into sulci and fissures of brain tissue
- Daily protein requirement of an adult man ---->1 gm/kg
- pricked needle and has signs of inflammation with distal interphalangeal joint pain. If left untreated, ---->paronychia
- Cyclosporin given after organ transplantation. Mode of action of cyclosporin ----->inhibits differentiation of t cells
- Resection of ileum and some part of jejunum cause 10 to 20 bowel movements per day .cause is---->osmotic plus secretory diarrhea
- Conduction speed is the slowest in---->av node
- Asthma patient having respiratory rate 30/min and is dyspneic. The finding----->decrease paco2
- Bladder neck of the female urethra lies----->upper surface of urogenital diaphragm



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Graves ophthalmopathy---->opatientic nerve compression
- Pale infarct occur in---->embolic/ischemic stroke
- Antiemetic is used for vomiting after chemotherapy sessions---->ondansetron
- ❖ Patient with trauma to eye by a wooden stick---->fungus
- Patient with paracetamol overdose with liver disease, antidote----> n-acetylcysteine
- Anaesthetic drug causes cardiacstimulation, increase heart rate and bp---->ketamine
- In shock vessel is the best site to prick to take sample for lab investigation----->femoral
- Unmyelinated nocicepatientive primary afferent fibers synapse directly neurons in the spinal cord---->spinothalamic neuron in lamina propria
- Enzyme is activated by enterokinase---->trypsinogen
- 4-year boy with painful, tender, swollen knee joints. Most appropriate investigation ----->factor 8 assay
- Type of hypersensitivity in myasthenia gravis---->type 2
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Is not parasympathetic >tubal
- Ureter ---->crosses at bifurcation of common iliac artery
- Bronchopulmonary segment—-->supplied by segmental bronchus with terminal branch of artery
- ->failure of ovulation Most common cause of subfertility is
- Carcinogenic---->asbestosis
- Superficial epigastric artery is abranch of --->femoral artery
   At 8 week mostly gonadal ridges of both sexes are same but what point will be different in boys---->testes descend with gubernaculum
- Drusens present between----> basement membrane of rpe and inner collagenous layer of bruchs membrane
- Nerve supply to the back muscle is from---->dorsal rami of posterior spinal nerve
- Choriocapillaries are derived from----> short posterior ciliary artery
- Basophilia of cell is due to---->ribosomes
- Deep inguinal ring is a defect in---->transversalis fascia
- Extrinsic and intrinsic pathway of coagulation of merge at---->stuart factor
- Fruity- scented breath, diagnosis---->dka
- X-ray showed left apical consolidation. Mantoux +ve dx---->tb
- Organ is present completely in peritoneal layers---->proximal part of duodenum
- hallow structure around the nucleus. What could it likely be----->lysosomes



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Heterozygous allele equally prominent---->codominance
- What is meant by professionalism of a doctor---->polite and good bedside manners
- Major difference between cortisol and gh is---->cortisol increases during stress surgery
- \* Triplet arrangement ofmicrotubules---->centriole
- The conducting system of the heart is made up of---->specialized cardiac muscle
- Anterior boundary of lumbar triangle is formed by---->by posterior border of external oblique muscle.
- A patient after cva has loss of appetite to food likely lesion is in---->hypothalamus
- Main role of feedback inhibition----> bring hormone to normallevel
- Spermatogenesis is stimulated by---->fsh and testosterone
- Nuclear sclerosis cataract occurs due to----> protein degeneration in lens
- Anti-malarial drug is used for treatment of chloroquine-resistant falciparum malaria---->artemisinin with combination
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Pharmacokinetic interaction among drugs is exemplified by---->increase toxicity of methotrexate by aspirin
- Increased icp, blood pressure increases to regulate cerebral blood flow. This is known as ---->cushing reflex
- Fisherman develop ecchymosis and bleeding gums. Deficiency of---->vitc
- Heart muscles works as syncytium due to---->gap junction
- Fsh is inhibited in males by---->inhibin
- ❖ True about clostridium---->mainly are spore forming
- The 2 kidneys are differentiated from each other by----->structures at hilum
- Swelling at back at level of t10 lymphatic drainage---->axillary
- One standard deviation means---->both side of mean in normal distribution curve
- In snellens chart, the angle which is subtended by each letter is most likely ---->5 minutes of arc
- Hypertrophy and hyperplasia are both seen---->uterus in pregnancy
- Infant having cyanosis crying along with vsd and pulmonary stenosis, disease----->transposition of great vessels
- Paracetamol antidote---->n -acetylcysteine
- Superficial epigastric artery ascends through---->saphenous opening
- Stab wound on right side below lateral to umbilicus will cause injury to---->ivc



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- abscess in the posterior triangle of neck. Post-surgery cant comb her hair. Lesion is in----->spinal accessory nerve
- Anemia in crf lesion of---->peritubular capillaries
- Female c/o elevated lesion onvulva. Biopsy premaiignant lesion. Diagnosis----->paget disease
- Urinary bladder---->sympathetic and parasympathetic supply
- Memory center is located in which part of the brain---->temporal lobe
- First structure to be traumatized under rib when passing chest drain---->intercostal nerve
- Apex of heart location---->5th intercostal space 8 cm lateral to left sternal border
- Most common physiologic cause of hypoxemia is---->ventilation-perfusion inequality
- Dystrophic calcification commonlyoccurs in---->necrotic tissue
- Amoebic liver abscess investigation---->serology
- Reticular connective tissue present in---->dermis
- Type of glasses should workers wear to avoid dark adoptitation ---->red
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- 12 days after thyroidectomy had done, patient c/o spasm. Diagnosis----->hypocalcemic tetany
- Female pelvis tilted on vertebral column——>forwards
- ❖ Central retinal artery----> emerges from opatientic disc within the opatientic nerve
- Retinoblastoma worst prognostic feature—> opatientic nerve involvement
   iga anti-human tissue transglutimase and iga antibodies positive.diagnosis----->celiac
- ❖ Pancreatic magna artery is a branch of → pancreaticoduodenal
- Decrease blood flow to liver by---->halothane
- ❖ Incidence of pre-eclampsia. The most significant change in the fall of the disease is due to----> unanimous definition of the disease
- Moa of local anesthetic is---->block na+ channel
- ❖ Treatment of anemia after total gastrostomy is---->iv vit b12
- A strong analgesic but a weak anaesthetic---->nitric oxide
- Superior pancreaticoduodenal artery is branch of---->gastroduodenal artery
- Cancer of organ metastasizes to choroid ---->lungs
- Patient has near point 12.5cm. Range of accommodation is 5d. Spherical error ---->-3d
- Test for definitive diagnosis of tb is---->demonstration of afb



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- √ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Organelle can actively replicate---->mitochondria
- A test which completely excludes non\*affected person is---->prevalence
- Final common motor pathway---->alpha efferent of spinal motor neuron
- Condition show normal mcv---->blood loss 2 days before
- Nuclei of rods and cones are present in which layer of retina----> 4th layer
- Thyroid gland is enclosed by fascia---->pretracheal fascia
- Structure passes through foramen rotundum---->maxillary nerve
- A ketone body---->acetoacetate
- Cornea get oxygen directly from---->atmosphere
- Diet rich in vitamins---->green vegetables
- Relation of third ventricle---->posteriorly related to subthalamus
- Primary movement of atlantoaxial joints---->rotation
- Anterior dislocation of shoulder joint causes injury to which structure---->axillary artery
- Virus causes cancer by alterationin--->proto-oncogene
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Tubular structure having transitional epithelium and connective tissue with 3 layers of muscle and adventitia---->ureter
- Largest total cross-sectional area is of ---->capillaries
- Increase in lymphocytes production and turnover is regulated by---->zona fasciculata
- Lady comes with vaginal bleeding after abortion . She has premalignant condition on histology. Diagnosis----->atypical endometrial hyperplasia

  Axillary nerve is most commonly damage in ---->shoulder joint dislocation
- Most important factor in virchow triad--->endothelial damage
- Steep curve in dose response shows---->potency
- Abnormal metabolism of which amino acid results in formation of stone as an end product---->lvsine
- ❖ Autoregulation of kidney is done by---->myogenic and tubuloglomerular feedback system
- Patient with intentional tremor, lesion in----> cerebellum
- Aneurysm of the loweresophageal most likely involves which part of the heart---->left atrium
- Posterior descending artery supplies---->
- Breast---->15-20 lactiferous ducts



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Patient with pallor, body aches. Hb 6.1, mcv 11, and mchc 26. Cause---->iron deficiency anemia
- Genital tubercle in females, forms which part---->clitoris
- ❖ Value for metabolic alkalosis---->hco3 > 24
- Relation with pharmaceutical companies ----> such that you can work towards the welfare of your institute.
- Oocyte released during ovulation is called---->secondary oocyte
- Most common radiation related brain tumor is---->meningioma
- Greatest blood flow per 100 grams to which organ---->kidney
- Part of a spinal nerve that supplies the true back muscles and the skin overlying them is---->dorsal primary ramus
- Best single test for hyperthyroidism---->tsh
- Patient. Had accident, bp less than 60. Which effect is most pronounced----->cns ischemic response
- Cram Statements Inshiah 70 % paper will come from this file. DO not skip this file...
- Great vein of galen---->cistern of ambien
- Presence of delta antigen (hdv) shows---->chronicity
- Superficial fascia is made up of ---- loose areolar tissue and adipose tissue
- ❖ Most common muscular "dystrophy--->duchenne x linked recessive
- \* Enzyme only metabolizing norepine phrine dopamine beta-hydroxylase
- First line of defense against microbial agents---->skin
- Structure related anterior to hilum of rt. Kidney---->second part of duodenum
- Tumor is least likely to metastasize ---->basal cell carcinoma
- Nephroblastoma ----> hvaloid artery
- Levels of which hormoneremains normal during pregnancy---->growth hormone
- Sesamoid bone is---->patella
- Types of drugs will have maximum oral bioavailability---->largely hydrophobic, yet soluble in aqueous solutions
- Mean weight of prostate in adult---->12 gm
- Dysplasia is mainly seen in---->epithelium
- After ml, free radicals are produced in reperfusion injury by which cells---->neutrophils



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Bulbar conjunctiva which is true----> epithelium is stratified columnar epithelium
- Boy presents with periorbital edema. Mechanism of edema is---->hypoalbuminemia with salt retention
- A large tumour in the posterior mediastinum compresses structures---->descending thoracic aorta
- Venous drainage of heart----> coronary sinus
- Acrosome are formed by---->golgi body
- Best pelvis for delivery---->subpubic angle > 90
- Pericardiocentisis is best achieved by passing a needle through---->
- True fat embolism is---->sympatientoms appear after 12 hours
- Highest proportion of which buffer ispresent in plasma---->hco3
- Most radiosensitive tumor is---->lymph node
- Hormone responsible for development of internal genitalis in males is---->testosterone
- Supporting cells of pars nervosa are--->herring bodies
- Cram Statements Inshilan 70 % paper will come from this file. DO not skip this file...
- Female hypertension weight. Gain why is cushings syndrome rather simple obesity ---->abdominal striae
- Blunt trauma, decreased vision with dilated pupils, hazy cornea, cause of the pupillary defect---->trauma to sphinter papillae
- In pregnancy initially hb 12 then become 10. Type of this anemia in pregnancy is----->physiological
- Primary prevention of caries---->proper brushing technique
- Multifactorial ---->prolactinoma
- Prostatic cancer metastasize to---->vertebrae
- Specific marker of mi is ---->trop t
- Posterior branch that arises from aortic bifurcation---->median sacral artery
- Patient with pallor and weakness. O/e low mcv, taste changes and eggs in stool. Diagnosis---->ancylostoma duodenale
- Middle meningeal artery is a branch of---->maxillary artery
- Type of lymphoma associated with ebv is---->burkitt lymphoma
- Trans pyloric plane---->origin of sma at 11
- testicular swelling.labs show increased ldh. Diagnosis---->testicular lymphoma / seminoma
- Pathophysiology of blockage of lymphatics---->inc interestitium protein



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- ✓ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Germ cell arise in yolk sac at 3rd week of intrauterine life. They originate from ----->ectoderm
- Signs and sympatientoms of food poisoning due to clostridium botulinum is----->flaccid paralysis of respiratory muscles
- Cells of islets of langerhans aremost abundant in which part of pancreas---->tail
- Uveal melanoma metastasizes to site ---->liver
- Lining epithelium of vagina is---->non keratinized stratified squamous epithelium
- Buffer acts in dka---->bicarbonate
- ❖ Prevents the lungs from being collapsed---->residual volume
- Prostate drains mainly into ---->internal iliac nodes
- Parents brought their child with edema and pigmentation. Likely diagnosis----->kwashiorkor
- Dead space remains unchanged-->shallow breathing
- sepsis not responding to iv fluids, this type of shock is usually not responsive to---->vasoactive agents
- Pellagra is caused by deficiency of which vitamin---->hiacin
- Anterior dislocation of shoulder joint causes injury to structure---->post circumflex humoral artery
- Smooth muscles---->has layers of circular and longitudinal muscle
- Main support of pelvic viscera is ---->levator ani
- Function exclusive to liver--->urea production
   On staining, cytokeratin indicates
- Most common skin tumor associated with hiv is---->kaposi sarcoma
- Pain in the epigastric region, posterior thoracic wall and right shoulder after a fatty meal. Pain is originating from---->gall bladder
- Independent p wave and grs complex shows----> av conduction blocked
- In stage 4 ca cervix, which group of lymph nodes are involved----->internal iliac
- Patient underwent surgery for mitral valve replacement after 8-12 months presented with cola color urine cause---->microangiopathic hemolytic anemia
- Lymph flow decreased by increase of---->hemorrhage
- Bronchial arteries emerge from descending aorta at level of---->t5-t6
- Medial lemniscus is formed by decussation of---->internal arcuate fibers

In bitemporal hemianopia blockage will be seen in---->middle part of opatientic Cram Statem Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file... ents Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- chiasma
- Hiv with some tumor----> kaposi sarcoma
- Most likely cause of pernicious anemia is----> autoimmune atrophic gastritis
- Nerve supply of ant. Abd wall---->t7-l1
- Organism which is mostly present in surgery of abdomen and urogenital tract surgery---->bacteroides fragilis
- Mg admitted with labor pains. O/e he os is 6 cm dilated,baby cephalic head at zerostation. Point of reference ---->ischial spine
- Most common site of a gram negative organism causing infection leading to sepatientic shock is---->urinary tract
- Structure lies in the base of sub occipital triangle---->vertebral artery
- Lesion in which area of the brain causes resting tremors and expressionless lace---->substantia nigra
- ❖ Feature of a well differentiated squamous cell carcinoma are---->epithelial nest of keratin pearls
- Prolactinoma---->prolactinoma
- ❖ Lacunar ligament is medial rolled up part of → reflected inguinal ligament Earliest observable sign irreversible cell change in ml is---->contraction bands in Cram

Statements Inshilah 70 % paper will come from this file. DO not skip this file...

- cytoplasm
- In certain pathologies, crescents in glomeruli are formed by---->parietal cells
- Terminal part of cbd in relation to pancreas is that it---->lies posteriorly
   At wrist joint, which bonearticulates with radius---->scaphoid
- Type of collagen which gives strength in wound healing is---->type 1
- Nasopharyngeal carcinoma----> ebv
- An accessory cervical rib arising from transverse process of cervical vertebrae may cause damage to---->t1
- Choroid----> bruchs membrane separates the choroid from the retina
- The axillary sheath is a continuation of---->prevertebral fascia
- A primigravida in labor is not delivering baby per vaginal.o/e prominent ischial spines, narrow subpubic angle but the finger could not reach sacral promontory. What is type of pelvis is it---->android pelvis
- Blood supply of epicardium is by---->coronary arteries
- Porphyrin binds to---->albumin
- Period btw remission and reoccurrence of disease is known as---->latent period



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

hip fracture in a rta presented with stands on his left leg his right hip sinks down. Cram Statem Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file... ents Inshllah 70 % paper will come from this file. DO not skip this file...

- Lesion ---->left gluteus minimums paralysis
- dead hydrocephalus fetus at -2 station, where insert needle to drain csf---->posterior fontanelle
- Fracture of neck of femur occurred. Delayed complication---->avascular necrosis
- Haploid number of chromosome with haploid dna are seen in---->spermatids
- Patient with juvenile diabetes mellitus, type of cataract is present ---->snowflake cataract
- Lateral relation of lower portion of vagina---->urogenital diaphragm
- \* Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- The esophagus passes through esophageal opening with---->vagus nerve and esophageal vessels
- Premalignant lesion of vulva is--->paget
- The type of hypersensitivity reactionthat occurs in graves disease is---->type 2
- \* Will show characteristics of upper motor neuron lesion h cortex---->hyperreflexia
- Lady with type ii dm she is at risk of developing a pathology in----> retina
- In pregnancy presents with bp 160/110. Drug-->alpha methyldopa
- Fever and right iliac fossa pain diagnosed as appendicitis. The systemic signs are---->bradykinin and prostaglandin
- Raynauds phenomena are seen in peripheral vascular disease
- ❖ Gfr increased by decreasing → plasma colloid osmotic pressure
- Patient had meningitis and treated, now came with morning headache ----> hydrocephalus
- Low doses of aspirin reduce platelet aggregation and clot formation due to----->
  >thromboxane a2
- Plasma osmolarity is decreased by---->vasopressin
- Blood supply to uterus---->uterine and ovarian artery
- Anomic aphasia occurs due to lesion in---->angular gyrus
- Specific in iron deficiency anemia---->dec ferritin
- Intrinsic factor is secreted from which part of git---->fundus
- Tubular re-absorpatiention of glucose and amino acids in which part of nephrons----->pct
- Amoeba commonly resides in---->cecum



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- √ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

Patient with epiphora, jones i and jones ii test negative, what you do next----->probing

48 years old lady presented with amenorhea for 8 months. Reason for menopause---- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- ->fsh, lh increased
- Removal of carbohydrates bound to serum protein result in---->aggregation and precipitation becomes antigenic
- Meissner corpuscles senses---->low frequency vibration
- Viral disease, cell line increased---->lymphocytes
- ❖ Patient pelvic pain, with nodule on fallopian tube. Diagnosis---->endometriosis
- Anterior hypothalamus function---->body temperature
- Study showing p<0.001---->null hypothesis rejected
- Newborn with translucent swelling, anterior abdominal wall & umbilicusattach to its apex---->omphalocele
- Derivative of 3rd pharyngeal pouch---->stylophyargeus
- Loss of inversion of foot occurs due to which muscle damage---->hallucis longustibialis anterior and tibialis posterior
- Most common median cranial anomaly---->median cleft lip
- Doc to treat endometriosis is -->danazol
- Cram Statements Inshigh 70 % paper will come from this file. DO not skip this file...
- Hypothyroidism due to thyroid gland disease is associated with increased level of---->cholesterol
- Patient cant oppose thumb and littlefinger, Nerve damaged---->median nerve
- Insulin increases the entry ofglucose into---->skeletal muscle
- \* Major lipoprotein source of the cholesterol used in cells is---->ldl
- First step in csf formation---->ultrafiltration of na
- Step is common in both glycolysis and gluconeogenesis---->hexokinase
- Structure crossesthe pelvic brim at the bifurcation of common iliac artery anteriorly----> ureter
- Micturition reflex controlled by---->sympathetic
- Decreases arterial 02 saturation without decreasing arterial 02 tension---->decrease atmospheric oxygen
- , amenorrhea normal appearance and secondary sexual characteristics. Absent ovaries and uterus. Cause---->testicular feminization syndrome
- During exercise, occurs---->increase stroke volume



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Hysterectomy with transverse suprapubic incision incision known---->pfannenstiel incision
- ❖ Female patient on hrt is at a risk of---->thromboembolism
- injury on lateral aspect of his right knee with fracture of neck of fibula. Artery damaged ----->anterior tibial artery
- Earliest sign of vit a deficiency---->conjunctival xerosis
- Segment of ecg coincide with a-wave of jvp---->pr interval
- Structure has autonomic and somatic nerve su ---->levator palpabrae superioris
- Tumor marker for hepatocellularcarcinoma---->afp
- After operation/accident, a patient who has lost 1l blood. Will be immediately seen--->dec bp
- Girl with weight loss palpitations hypertension diarrhea diagnosis----->hyperthyroidism
- Came with accommodative spasm. Which drops will you put to treat ---->atropine
- Nerve supply to adrenal medulla is from----preganglionic greater splanchnic nerve
- ❖ Vein near to anterior interventricular artery ------------>great cardiac vein
- Epithelium upon surface to protect against mechanical injury---->stratified squamous keratinized
- Pregnancy reduce---->factors antithrombin iii
- Taking estrogen therapy to relieve post-menopausal symptoms will likely have increased risk of---->thromboembolism
- Mass near porta hepatis. Structure affected would be---->portal vein Replacement of dead cells cannot occurs by regeneration in tissues composed of----- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
  - >permanent cells
  - Involvement of which part of the brain in control of direct autonomic reflexes----->hypothalamus
  - ❖ Area converts written language to auditory sense system ---->angular gyrus
  - During 2nd stage of labor, which is important factor---->abdominal muscle contraction
  - Supply of blood to parathyroid is from---->superior and inferior thyroid artery.
  - increased amniotic fluid with raised afp, diagnosis is---->anencephaly
  - Chorionic cavity----> extraembryonic coelom
  - Superimposed bacterial infection in ischemic tissue results in---->gangrenous necrosis



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Distance of the pelvic part of the sacrum to posterior inner part of symphysis pubis is known as---->obstetrics conjugate
- ❖ Pancreatic magna artery is abranch of---->splenic
- Viruses is associated with human cervical cancer---->hpv 16
- Having meckels diverticulum presents with bleeding per rectum. Cayse---->ectopic gastric tissue
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Most common position of appendix is---->retrocecal
- The unconjugated bilirubin is transported in the blood in combination with ----> >Albumin
- Remnants of previous osteons, called---->interstitial lamellae cortex of bone
- trauma to ischial spine and sacrum structure will be likely injured---->rectum
- hematoma in broad ligament . Hematoma formation due to---->uterine artery
- Gray matter contains ----> nuclei of nerves
- Cervical lymphadenopathy, with malignant cell lymphoma. Immunological disorder have---->aids
- Major energy reservoir in the humans is——adipose triglycerides
- In antemortem thrombus are present——>lines of zahn
- Most important mediator of inflammation --->prostaglandins
- Gall bladder pain is referred to tip of shoulder via---->parietal peritoneum sensation of cervical dermatome
- Subarachnoid space ends at the level of ---->s2-s3
- Patient with giant cells nuclear chromasia and koilocytes. Patient likely suffering ----->dysplasia
- Lesion in dorsal column medial meniscus pathway causes---->astergonosis
- Relaxation of ventricles (ventricle filling) is represented in ecg by---->tp segment
- Presence of stratified squamous epithelium in endocervix is termed as---->metaplasia
- Cross-bridge of sarcomere in skeletal muscle are made up of---->myosin
- Autosomal dominant disorder, choreiform movements, mood disturbances, behavioral changes, disease most likely is---->huntington

The distinctive arrangement of collagen fibers in the skin is predominantly found in--- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

-->reticular layer



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Parasympathetic nerves supplying the urinary bladder are---->pelvic splanchnic
- Brachiocephalic vein is formed by----->subclavian and internal jugular vein
- 41 % of hematocrit means---->41 % of formed elements in blood are rbc
- Posterior part of posterior limb of internal capsule related to----> opatientic radiation
- A virus which is transmitted by mosquito---->dengue
- Fibrocartilage---->abundant collagen
- In pregnancy, which of the following occurs---->decrease total lung capacity
- Patient presented with a stab injury losing almost 1.5l of blood. The most immediate finding---->decrease bp
- Is a derivative of 3rd pharyngeal pouch---->stylopharyngeus muscle
- Main action of gut somatostatin is tomainly inhibit---->insulin
- Spinal cord termination in childrens at level of—>13
- ❖ Patient with edema which test you perform ---->24-hour urinary protein level
- Deep vein thrombosis first gets lodged in---->pulmonary artery and branches
- Sympathetic receptor is responsible for production of thick saliva in female ---->alpha 1
- Headache hypertension hyperglycemia. Could be due to---->catecholamines
- Lymphatic drainage of gians penis and corpora is---->deep inguinal
   During voluntary muscle contraction both alpha and gamma motor neuron in descending pathway are excited
- A patient presented with right sided hemiplegia without any sensory loss. Lesion is in---->internal capsule
- Correct pairing of reflex---->biceps c5, c6
- Most appropriate site for thoracentesis---->lower border of 9th intercostal space in mid axillary line
- Cornea dry, nerve damage is----> greater petrosal nerve
- With blockage of right superior bronchus due to mass, which bronchopulmonary segment is likely to collapse---->right apical superior

red blood in her stool. Mucocutaneous pigmentation. Diagnosis---->peutz-jeghers Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

\* polyp



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- √ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- After liver biopsy there is severe pain on the tip of the right shoulder. Pain by nerves---->right phrenic
- After rta there is a hematoma compressing post central gyrus. Which area is most affected---->sensory area
- A person with type-a personality. Most probably have---->social stress/ social withdraw
- Effect of pilocarpine on sphincter pupillae is analogous to effect drug on dilator pupillae ---->epinephrine
- Hypersplenism---->platelet count returns to normal after splenectomy
- Man has carcinoma prostate, spread of tumor above vertebrae probably ----->internal vertebral plexus of veins
- Artery has branches that are end arteries---->central retinal artery
- During Ip after crossing I3, I4 intra laminar space the needle touches which structure first---->epidural space
- Grading of a tumor shows---->nuclear differentiation
- ❖ In gap wound layer not properly stitched ----> loose areolar tissue
- After delivery, the regression of enlarged uterus due to ---->lysosome
- Lipoprotein contains high amount of protein—>hdl
- Preganglionic supply of suprare nal adrenal gland is by---->greater thoracic splanchnic nerve
- Nerve supply to adrenal medulla is from--->preganglionic greater splanchnic nerve
- Anti-hcv positive on investigation while donating blood with no signs. Best approach---->repeat anti-hcv
- Sympathetic cholinergic stimulation causes---->vasodilation in skeletal muscle
- Drug absorbed through aqueous diffusion---->diazepam
- Skeletal muscle---->belly is fleshy throughout length
- Taking immunosuppressive drugs. With high grade fever, neck rigidity. Csf studies organisms with a halo around it organism is---->crypatientococcus neoformans
- Common cause of delay wound healing---->infection
- The best indexes of the preload on the heart is---->left ventricular end diastolic volume
- Following ribs are known as floating ribs. ---->1st & 2nd rib.
- increased renin secretion will cause---->angiotensin 2 induced vasoconstriction
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Drug is given in myasthenia gravis to decrease ach degradation in neurosynapatientic junction---->neostigmine
- The structure present between two z lines is---->sarcomere
- Furuncle on tip of nose, presented with swellen eyes diagnosis---->cavernous sinusthrombosis
- Levels of which hormone remains normal during pregnancy---->growth hormone
- Passive immunization by---->injecting t lymphocytes
- ❖ In urosepsis tests perform ----> urine and blood culture
- ❖ Is hood tumor with gene amplification---->neuroblastoma
- Structures in the kidney is responsible for sensing inadequate perfusion and secreting renin---->juxtaglomerular cells
- Lies posterior to cerebral aqueduct in midbrain---->tectum
- Muscle which increases the transverse and anteroposterior diameter of thorax is----->external intercostal
- An hiv positive patient asks if his disease will progress. Test useful---->cd4 lymphocyte count
- Common features of normal kidney—>podocytes in visceral layer of bowman capsule
- ❖ loss of skin sensation on lateral side of arm--->axillary nerve
- Tumor of infancy---->nephroblastoma
- Patient with hypothyroldism, on thyroxine for about 1 years, which test you perform now---->tsh
- Gas gangrene is caused by organism—>clostridium welchii
- Deep fascia of parotid forms which ligament---->deep fascia of parotid forms which ligament
- Drugs known to physician classed as a and b, given to patients. Randomly, is---->double blind
- Nerve supply to adrenal medulla is from---->preganglionic greatersplanchnic nerve
- ❖ Safe analgesic dose of no~---->100ppm
- Injury in the region of anatomical snuff box resulted in severe bleeding due to injury of---->radial artery
- Hyaline cartilage is present in---->larynx

Transposition of great vessels, which is true---->aorta is in connection with right Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

ventricle



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Clotting factor deficiency that causes coagulation rather than bleeding ----->factor 5
- Significantly raised afp is characteristic of---->hepatocellular ca
- After chemotherapy, the tumor size regresses by----->apopatientosis
- Main role is maintenance of eye power is by---->anterior surface of cornea
- \* To differentiate between type of jaundice, tests is most appropriate ----->alkaline phosphatase
- Virus associated with nasopharyngeal ca is---->ebv
- Drugs known to physician classed as a and b given to patients. Randomly, is----->double blind
- Oxidative burst in neutrophils is related to---->initiation of microbicidal killing
- Cornea which is more likely----> central corneal thickness is about 565 to 580 microns
- Substanceis neither absorbed nor secreted by the renal tubules---->inulin
- Rational drug design----> insulin
- Artery is likely to be damaged in close proximity of phrenic nerve----->pericardiophrenic artery
- Corpus callosum injury---->loss of connections between two hemispheres
- ❖ Brachiocephalic vein is formed by— ≥int jugular and subclavian
- How inc in no. Of mitochondria occurs---->self-replication
- Anti d antibody is clinically important because, ---->causes hemolytic disease
- Growth factors at cell bring about its effects by working on recepatientors located at----->cell membrane

  Insoluble storage form of iron in iron overload---->hemosiderin
- Cardiogenic shock is a complication of ---->ml
- Lymph from the fundus of stomach will drain into which node---->celiac nodes
- Right leg pain, tract involved---->left lateral spinothalamic tract
- Subarachnoid space ends at the level of---->s2-s3
- Down and fractures his medial epicondyle of humerus resulting in damage to ulnar nerve. Sensation affected---->distal and palmer aspect of medial 1/3rd of hand
- Mixed venous blood sample can be obtained from---->pulmonary arteries
- A neonate with projectile non-bilious vomiting. Shows a mas in theabdomen. Diagnosisis---->hypertrophic pyloricstenosis
- Stratified cuboidal epithelium are present in in---->lining duct of salivary gland
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Most likely cause of anegative mantoux test in a tb would be due to---->immunosuppressive therapy
- Vomiting centre is located in---->medulla oblongata
- ❖ Most common lobe involved in prostate carcinoma is---->posterior
- \* testes undescended. At risk of ---->neoplasia
- Complete h. Mole---->46xx
- Retinoblastoma & tumor of the lower limb which malignancy it can be----> osteogenic sarcoma
- Klinefelter syndrome karyotype---->47 xxy
- Main supply of head of humerus is from---->arcuate artery
- Azospermia. Cause ---->sertoli cell
- Cotton wool spots are present in ---->diabetic retinopathy
- ❖ Feature of upper motor neuron lesion is——>exaggerated reflexes
- Similarity between cardiac and skeletal muscle is---->transverse striations
- Patient with deep knife wound in the buttock with a waddling gait characterized by the pelvis falling toward one side at each step. Nerves damaged----->superior gluteal nerve
- Ovarian artery is a branch of---->abdominal aorta
- Patient with gastroenteritis, potassium is advised. Moa of iv potassium ---->na-k gmug
- Lesion of lateral hypothalamus results in--->inhibition of feeding
- Metaplasia---->one epithelial changes into another normal epithelium
   Use of oxytocin in obstetrics is to augment uterine contraction
- Adverse effect of drug, which is correct---->variable
- Lateral inhibition in retina done by----> horizontal cells
- Oxygen delivery to tissue is decreased by.---->co poisoning
- In hydrocephalus, most common obstruction occurs at---->agueduct of sylvias
- Most abundant glial cells in gray matter---->protoplasmic astrocyte
- ❖ In retrolental fibroplasia, neovascularization occurs at sites ---->peripheral retina
- Lymphatic drainage of breast divided into---->medial lateral
- ❖ Site for thoraco centesis---->lower border of 9th intercostal space in mid axillary line
- New bom which is true---->c shaped vertebral column
- ❖ Positive predictive value is---->proportion of true positive in all positive
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- ✓ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Primitive streak mesoderm migrates to anterior abdominal wall and around cloaca, a rupatienture of this mesoderm cranially will produce---->ectopic anal opening
- Pars distalis---->supplied by the superior hypophyseal artery
- Insulin secretion is increased due to ---->somatostatin
- Posterior descending artery supplies---->av node
- Deficiency of vitamin a and vitamin d result in ---->keratomalacia
- Old patient with raised absolute wbc count what would you prefer---->bone marrow aspiration.
- Urorectal sepatientum separates---->rectum and urogenital sinus
- Choroid plexus---->active transport of sodium ions
- Polyphagia in diabetes occur dueto---->dec sensitivity of satiety center
- swelling above and below the inguinal ligament which disappears on lying down.
  Diagnosis ---->saphenous varix
- \* Endothelial cells initiate intravascular coagulation by activating---->factor 12
- Gradual loss of vision, near vision is reduced due to ---->decreased curvature of lens
- ❖ Neuroectodermal derivative----> sphincter papillae
- Statement is correct about nucleolus---->no limiting membrane
- Terbutaline side effect ---->hyperglycemia
- \* Hemoglobin appears in urine when there is saturation of---->hapatientoglobin
- The distinctive arrangement of collagen fibers in the skin is predominantly found in---->reticular layer
- The definitive diagnostic lab test for the infection by beta strepatientococcus is---->blood culture
- After mastectomy, patient presented with winging of scapula---->long thoracic nerve
- By increasing the specific gravity of urine which kidney function is being assessed ----->concentration
- Retro mandibular vein formed by the union of the superficial temporal and---->maxillary vein
- Heart ventricles decreased upstroke due to---->prolonged sodium channels opening
- Systemic action of sympathomimetics ---->constriction of vessels
- Ivc bifurcates at the level of---->15
- For inflammation, t cells bind at which site---->mhc
- Joint between vertebral bodies---->joint between vertebral bodies

Patient with burns hasedema of whole body blood oozing. Edema due to---- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- >albumin deficiency
- ❖ Neutrophil increase by---->granulocyte colony stimulating factor
- Pilot study dvt prophylaxis---->check frequency of filling forms
- A pregnant lady develops some skin changes cause----->spider telangiectasia and palmer erythema
- diabetes for last 20 yr presented with rapidly progressive renal failure. Feature----->kimmelstiel-wilson nodules
- Parasympathetic stimulation action---->relaxes pyloric sphincter
- How many bronchopulmonary segments are in lower, middle and upper lobe of right lung respectively---->5,2,3
- Antidotes are given in---->intravenous form
- Female urethra---->prone to infections
- Eating raw, undercooked meat can cause infection by---->tapeworm
- no fetal parts and shows snowstorm appearance. Likely diagnosis is---->karyotype 46xx
- ❖ Boy presents with periorbital edema. Mechanism of edema is---->hypoalbuminemia with salt, water retention
- ❖ Woman in hospital due to late birth of child tearing of the pelvic diaphragm occur muscles damaged-----
- Of following has hyaline cartilage---
- Immediate mediator of allergic reaction— >histamine
- Superficial temporal artery relation with which nerve----->auriculotemporal nerve
   Prevalence is----->all new cases plus old
- Urothelium in following condition will have great chance to convert to carcinoma----->exstrophy of bladder
- Child with frontal bossing bow legs and chest deformity it is seen in---->vit d deficiency
- Most abundant glial cells in gray matter---->protoplasmic astrocyte
- Hyperexcitibility of nerves occur if dec extracellular---->magnesium ions
- Sjogren syndrome associated with---->ra
- Eosinophils increase in conditions---->parasitic
- Innermost muscle in ciliary body---->circular
- Serum uric acid levels are high. Test should be done to confirm diagnosis----->microscopy of joint fluid for monosodium urate crystals
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Seggrated pts on basis of presence or absence of vomiting. What type of data it is---->nominal
- Major tumor marker for ca colon is---->cea
- The loss of water by evaporation and insensible loss from body---->depends on core body temperature
- Tears contain more than plasma---->potassium
- Leukocoria in infant diagnosed with phpv is because of---->hyperplastic pupillary membrane
- Right renal vein drain into---->ivc
- Vitreous main content---->water
- The structure most likely to be affected by pus in the adductor canal is---->femoral vein
- Baby a sac like defectin the lumbosacral region with neuraltissue in it, diagnosis----->myelomeningocele
- Motility of sperms begin at---->epididymis
- Skin pigmentation, tingling sensation and loss of balance. Mcv 120---->megaloblastic anemia
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Foramen monero----> connects lateral and 3rd ventricle
- Dysplasia is mainly seen in---->epithelium
- Main pillar of medial longitudinal archof foot is ---->talus
- First test that should be performed in a patient with lower git bleeding----->colonoscopy
- Dicrotic notch is seen in---->aortic closure
- Man with long standing htn and aortic stenosis. The histology of his heart will show---->hypertrophy of ventricular cells
- Marker used to measure total bodywater ---->heavy water
- Drug receptors---->protein in nature
- ❖ Safe area for paracentesis ---->lower part of 9th intercostal space midaxillary line
- A mother with blood group "o" has a baby with "ab". Test can be done to confirm that the baby is theirs---->pheno-bombay typing
- Stylophyargeus ----> venous compliance
- Patient known type ii diabetic with loss of visual acuity had some laser treatment. Changes in---->macula
- Ossification of the sternum body occurs at the age of---->21 years



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- First sign in onset of puberty is---->thelarche
- Type of omental necrosis is---->fat
- \* Radiation damage cell by free radicals which act on---->dna
- Characteristic feature of c2 vertebrae---->odontoid process
- ❖ Is an example of a neuro- hypophysial hormone---->oxytocin
- \* Bronchogenic carcinoma is caused by which virus---->cmv
- A strong analgesic but a weak anesthetic---->nitric oxide
- Important dead space---->conditioning of inhaled air
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- drug distribution in a 70kg man is 8 liters. This means ---->equally distributed in ecf
- Dermatome present on lateral side of the foot is---->s1
- ❖ Normal amount of iron in adult female is--->3g
- Receptor abundant on tip of finger--->meissner
- Drain in jugulo-diagastric lymph nodes ---->palatine tonsil
- Urine coming out of umbilicus —->patent urachus
- Secondary bone ossification center in adult is present in---->epiphysis
- ❖ A trained athlete at rest has increased---->stroke volume
- Synchondrosis most appropriate in between the joining bone there is plate of hyaline cartilage
- In weight loss, most imp a person can do by himself.——>self-monitoring
- True about normal adult hemoglob incontains--->
- Ground substance offibrocartilage has abundant of---->
- Insulin increase the entry of glucose into--->skeletal muscle
- Most common cause of subacute endocarditis is---->staph viridans
- ❖ Intermediate filament is present in most carcinoma---->keratin
- Post-op wound causes greenish pus discharge. Which organism is involved---->staph aures
- New vessel proliferation is done bywhich of these substance from macrophages----->pdgf
- Superficial inguinal ring is a defect---->external oblique
- ❖ A tumor suppressor gene---->p53
- Pap smear of an 18-year girl shows mild dysplasia in cervix. Which grade is it---->cin
- Superficial inguinal ring is a defect in---->external oblique



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- ✓ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- A primary oocyte surrounded by zona pellucida and corona radiata with fluid filled spaces is called---->secondary oocyte
- Students develop loss of appetite yellow discoloration of the eyes. Virus responsible ----->hep a
- In testicular tumor lymphatic drainage will into---->retro peritoneal node
- Following hypophyseal structure receive secretions through hypophyseal portal system---->adenohypophysis
- ❖ Maximum flow pressure in coronary vessel occurs at---->beginning of diastole
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- A functional remnant of mesonephric duct in males---->seminal vesicle
- Bromocripatientine causes---->decrease prolactin release from pituitary
- Biological substances present in food---->nutrients
- Painless gradual protrusion of right eye with normal x ray orbit cause is---->opatientic glioma
- Common cause of mutation of proto-oncogene is---->virus
- A carcinoma of vagina below hymen spread into lymphatics into---->medial group of horizontal superficial inguinal nodes
- Action of cholecystokinin hormone——>delayed gastric empatientying
- Female patient had endocervical polyp with squamous epithelium on biopsy. It shows---->metaplasia
- Parasympathetic stimulation causes——>opens intestinal sphincters
- Diagnosis of typhoid in 1st week s done by blood c/s
   bicep tendon reflex is absent. Compression occur---->c5-c6
- One and only main feature for diagnosis of malignancy---->pleomorphism
- Most important factor for the repair of vascular endothelium is produced by ----->platelets
- Cell swell maximally.swell when placed in---->250 mm urea
- In testicular tumor lymphatic drainage will into---->retro peritoneal node
- Least maternal deaths seen in age range---->15-20 yrs.
- Drug of choice for bee sting, swollen face---->i/m adrenaline
- Most favorable pelvis for delivery---->gynecoid pelvis
- ❖ Neurons move from one place to other by---->neurons move from one place to other
- Is the total lung capacity of an adult male---->6 liter
- Use of oxytocin in obstetrics is---->to augment uterine contraction for lactation



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Internal oblique muscle aponeurosis form ---->conjoint tendon
- Virus cause cancer by alteration in ---->Proto-oncogene
- Thiopental has 15 min duration due to---->rapid distribution
- Mother rh positive and father rh negative conceive a baby.---->no complications will occur
- Function of beta hcg---->preservation of corpus lutem
- All the short muscles of hand are supplied by---->t1
- Sign of clostridium botulinum is---->flaccid paralysis of respiratory muscles
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- In anterior inferior iliacspine fracture, pelvic avulsion is done by which muscle---->rectus femoris
- Sympathetic supply of lower airways is from---->t1-t2
- Most common congenital diseases--->multifactorial
- Pupillary membrane disappears at which month of fetal life ---->8th month
- Intention tremors occur due to lesion in---->cerebellum
- Main support of pelvic viscera is---->uterosacral ligament
- Stratified cuboidal epithelium is present in ----->sweat duct
- ❖ Vagal stimulation alters the permeability of → >k
- ❖ Anti-cancer cells are-->nk cells
- Tall girl with mammary discharge, increased prolactin will show---->increase in eosinophil
- Anencephaly---->incomplete closure of cranial neuropore
- Secretory hormones from •neurohypophysis are stored in----->pituicytes
- Patient with bitemporal hemianopia. Lesion at ---->center of opatientic chiasma
- \* mediators in inflamation---->tnf and interleukin 1
- Glucose absorbed completely from which segment---->pct
- Cushings syndrome feature---->abdominal striae
- Swelling anterior to sternocleidomastoid, superficial vein will it be most likely compressing---->external jugular
- Fine, intermittent nystagnus and no other ophthalmological or neurological signs. Lesion is most likely present in---->cerebellum
- ❖ Pain and temperature fibers are in---->lateral spinothalamic tract
- Cabergoline acts on ---->d2 agonist
- Right border of heart is made by---->right atrium
- High affinity for recepatientors---->free tri-iodothyronine



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Eeg waves in anesthetized patient---->decreased frequency
- Lymphatic drainage of labia majora is---->superficial inguinal nodes
- Common cause of fatty liver in our country is---->increase fatty food intake
- Effect of primary dehydration on ecf becomes---->hypertonic
- \* Temperature is controlled by---->anterior hypothalamus
- Gve nucleus of vagus nerve----> dorsal motor nucleus
- A patient with known hbv infection comes with hbsag +ve, hbeag +ve, hbcab igm +ve. Diagnosis---->acute hepatitis
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Dopamine has inhibitory effects on---->prolacting
- Meissner corpuscles senses---->low frequency vibration
- Deficiency of which vitamin occurs in chronic pancreatitis---->vitd
- During pregnancy, hormone acts as a growth hormone ---->human chorionic somato mammotropin
- Patient has intractable long history of pain and taken various painkillers but of no use. Treat patient by---->psychological cognitive treatment
- Anterior boundary of lumbar triangle is formed by---->by posterior border of external oblique muscle.
- Last to be returned to normal after acute blood loss---->rbc in peripheral smear
- Hepatitis in pregnant women--->hep e
- Doctor patient relationship. What is most important--->mutual trust
- resistance.
- Sympathetic supply of lower airways is from---->t1-t2
- Macrophages are derived from---->monocytes
- Percussion posterior aspect of the chest along the scapular line in sitting position resonates most likely till which rib---->10th rib
- Virus associated with nasopharyngeal ca---->ebv
- Pulmonary varix opens into---->left atrium
- Type 2 diabetes patient has weakness and increased frequency of urine. What is the possible mechanism of polyuria---->decreased reabsorpatiention of glucose in pct
- Posterior relation of head of pancreas is to---->ivc
- Root value of phrenic nerve with major contribution is by---->c4
- Non-invasive fungal sinusitis. Most common cause---->diabetes



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Gallbladder is mainly supplied by---->cystic artery
- Change in shape, size and polarityoccurs in ---->dysplasia
- Erythropoietin is increased in---->high altitude
- Infundibulum supplied by---->right conus artery
- \* The massive accumulation of fluid in abdomen is the result of---->hypoalbuminemia
- Chlamydia is etiological agent for---->lymphogranuloma venerum
- Superior rectal artery is a branch of---->inferior mesenteric artery
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Most important test for prenatal diagnosis of congenital disease is---->chorionic villus sampling
- Patent lumen of allantois form---->urachal fistula
- There is greatest chance of pneumothorax formation while inserting cvp via which route---->right subclavian
- Similarity between hyperthyroidism and diabetes mellitus----->weight loss
- Peripheral smear shows large platelets diagnosis---->itp
- Endothelium in prevention of coagulation by—->prostacyclin (pgi2)
- Knife pierces intercostal space how many layers does it pierces before touching lung substance ---->8 layers
- Upper outer quadrant of the breast. Lymphatic drainage ---->pectoral axillary nodes
- ❖ Vaginal candidiasis drug--->imidazole derivative
- Most potent inhibitor of insulin is --->somatostatin
- Living at 11000 feet height complains of fatigue what is the diagnosis---->respiratory alkalosis
- Muscle involved in opening of mouth---->lateral patienterygoid
- Loss of taste in posterior aspect oftongue, difficulty in producing voice .foramen involved---->jugular foramen
- Resting membrane potential is maintained by---->na/k atps pump
- ❖ Land mark of mitral valve is---->5th intercostal midclavicular space
- ❖ Pregnant p3 can deliver vaginally if---->subpubic angle > 90
- Low dose heparin acts by---->inhibits activated factor 10
- Compact bone---->circumferential lamella form osteon
- First part of duodenum is posteriorly related to---->gastroduodenal artery



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Pancytopenia, 0.1% retie count and hypocellular bone marrow with normal cell morphology. ----->aplastic anemia
- At the end of a marathon race, the person will have ---->high glucagon and low insulin
- Pregnant female, her diet lacking green leafy vegetables, possible pathology in fetus---->anencephaly
- \* Thyroglobulin is synthesized by which cells---->follicular cells
- Bony landmark for pudendal nerve block is---->ischial spine
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- ❖ Is the immediate effect of the body to lose heat---->cutaneous vasodilations
- External anal sphincter supplied by---->pudendal nerve
- Median umbilical ligament is aremnant of---->urachus
- First cry in neonates is necessary for --->pulmonary function
- Cannot see whats written on blackboard. Most likely condition he has ----->axial myopia
- ❖ Volatile acid compensation---->bicarbonate
- Nerve supply of rectus abdominis is--->last five intercostal and subcostal nerve
- Normal area of mitral valve is---->4-6 cm2
- Nerve supply to adrenal medulla is from---->preganglionic greater splanchnic nerve
- ❖ Pulsatile mass is abdomen is noted. Site of origin is---->t12-l2
- Cause of fatty liver in our country--->obesity
- \* A male presented with testicular mass with elevated afp---->embryonic carcinoma
- A patient is called chronic carrier if he has hbsag---->for more than 6 month
- ❖ Patient has jaundice, pruritus and xanthoma---->anti-mitochondrial antibody
- Virus can cause malignancy---->htlv
- Microscopic diagnostic feature of the lesion is---->caseous necrosis
- Upper 1/3"1 of vagina is derived from---->paramesonephric duct
- Right colicky lumbar pain within 48 hours. Structure likely damaged---->ureter
- Mca supplies blood to---->insula and opercula
- Hypoxic cell injury occurs due to---->co poisoning
- Diagnostic test for diabetic nephropathy is---->microalbuminuria
- ❖ Patient 40% burn. Cause of low- voltage of action potential---->hyponatremia
- hb 5.5, increase bilirubin, retie count 5%. Smear shows polychromasia and clumps. Test to confirm diagnosis---->coombs test
- Ischiopubic rami fuses at age---->7 years



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- In anterior inferior iliacspine fracture, pelvic avulsion is done by which muscle---->rectus femoris
- Lactation in pregnancy is inhibited by---->estrogen
- Cells will help in repair of the ischemic tissues---->glial cells
- Hip joint is directly related to---->interiorly to obturator externus
- Standard deviation is calculated along mean because it shows----->variability among individual values
- Furuncle on tip of nose, redness and swelling of eye ---->cavernous sinus thrombosis
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Has tetanus due to penetrating wound from a rusty nail. Following muscles paralyzed----->lateral patienterygoid muscle
- ❖ Pacinian corpuscles detect ---->high frequency vibration
- ❖ Breast ---->divided into 15-20 lactiferous ducts
- cells mainly make up pus--->neutrophils
- Patient with rta lost enough blood presented with tachycardia. Type of shock----->hypovolemic shock
- In athletes increased sodium absorpatiention in dct is due to---->raas
- Patient is suffering from pyogenic lung abscess, Organism responsible is ----->staphylococcus
- ❖ Patient lost 1.5l blood in a rta c/o anemia. The anemia is most likely---->normocytic normochromic
- Aqueous secreted by----> active transport from ciliary epithelium
- Organ which removes 70-80% oxygen of its arterial supply at rest---->heart
- Part of pituitary gland lies adjacent to infundibulum---->pars tuberalis
- Alcoholic patient materials is most likely in cytoplasmic space---->triglyceride
- End of atrial depolarization up to start of ventricular repolarization on ecg----> pr segment
- Most common organism causing infection after blood transfusioncmv---->herpes zoster
- Young boy had fracture osseous tissue o/e mass containing hemorrhage. Cause----->metaplasia
- Right bundle branch (rbb) is-\_supplied by---->left coronary artery
- Hort blind ending vagina, slight pubic hair and absent uterus. Cause----> agenesis of paramesonephric duct



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Structurally which lobe of prostate is the largest---->central
- Lesion to medial lemniscus at the level of mid brain will cause ipsilateral loss in----->pain
- Lesion in brocas and wernickes area causes---->global aphasia
- 60% of sa node is supplied by---->rca
- A large tumor in the posterior mediastinum compresses structures---->descending thoracic aorta

Oxytocin given to female but she is not responding to it. This is likely due to---->less Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- recepatientors in myometrium
- Most common inborn error of metabolism ---->galactosemia
- H/o eating pan cause---->submucosal fibrosis
- A rbc is kepatient in a hypertonic solution to which urea is added. The effect on rbc---->swell, shrink and lyse
- Distention of rectum is caused by—>parasympathetic
- In anterior duodenal perforation, the contents will go into---->sub phrenic
- Patient develops right sided weakness in both upper and lower limb and slight deviation of angle of mouth to the left while talking. Where is the lesion---->internal capsule
- After fall, short left leg rotated laterally. Diagnosis---->femur neck fracture
- Median umbilical ligament is a remnant of purachus
- Left half of pons is related to---->right cerebellar hemisphere & left basal ganglia
- Spinal nerves are mixed nerve because----> coz have both sensory and motor nerves.

Pleura rupatientured in pneumothorax, there is---->inward lung collapse and outward Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
Statem Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file... ents Inshllah 70 % paper will come from this file. DO not skip this file...

- chest wall spring
- Superior mesenteric and inferior mesenteric artery anastomose on---->marginal
- A student wanted to study relationship between increases in temperature and duration of surgery. ---->regression analysis
- Anti androgen is used for the treatment of hirsutism---->cyproterone acetate
- Is the common complication of diabetes limbs is---->wet gangrene



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Hyperkinetic disorder like choreaand athetosis are caused due tolesion in---->basal ganglia complex
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Structure has dual autonomicblood supply but not reciprocalsupply---->salivary gland
- In preganacy, thromboembolic disease cause---->venous stasis
- Mechanism of tumor metastasis is---->down regulation of e- cadherin
- Posterior pituitary involved in labor via---->oxytocin
- With acute leg pain while running. Next day ecchymosis around ankle but can stand on his toes painful. Cause is---->rupatienture plantaris tendon
- Most important factor for the repair of vascular endothelium is produced by---->platelets
- A physician is legally obliged to tell woman about prenatal diagnosis at which age----->any age
- The use of long term steroids leads to increased risk of----> osteoporosis and bone fractures
- biopsy of intestine show villous atrophy and gluten free diet doesnt improve his sympatientoms. Diagnosis——>glardiasis
- \* type of necrosis will be seen in the heart--->coagulative
- Prevention in the disease process before occurrence of disease is---->primary prevention
- Lady currently on phenytoin become pregnant. Correct---->switch phenytoin to carbamazepine
- Lumbar triangle is anteriorly related to posterior part of which structure---->external oblique
- How much venous drainage of the myocardium is drained by coronary sinus---->2/3 of heart
- Male underwent radiotherapy presents with skin ulceration and fibrosis. Cause is----->desquamation
- Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
- Long term steroid therapy has increased risk to ---->osteoporosis and fractures
- Tyre factory worker, exposed to hydrocarbons c/o low grade fever weight loss.
  Cause---->bladder ca
- Plateau phase in cardiac muscle---->equal ca influx and k efflux occurs
- Following are x-linked diseases---->g6pd



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Feature of dysplasia---->loss of polarity and architecture
- Breast ca risk factor---->brca-1 mutation.
- Sarcolemma adjacent to nerve terminal---->is a motor end plate
- ❖ A derived from 3rd pharyngeal arch---->stylopharyngeus
- Young boy with fever, sore throat and enlargement of jugulo-diagastric lymph nodes. Cause---->palatine tonsils
- Hormone is converted into its active form at target tissue with the help of 5 alpha reductase---->testosterone
- Patient with pancreatitis, fluid escapes into the lesser sac. Pain is carried by----->greater splanchnic nerve
- Takes part in the pelvic inlet---->pubic body
- In man an intermediate host---->hydatid cyst
- ❖ Immediate effect of insulin---->potassium entry into the cell
- Dysphagia, vomiting and difficulty in belching. Diagnosis---->esophageal achalasia
- ❖ Most common radiation related brain tumor is---->meningioma

- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- ❖ Sab-macular fluid leaks from--->choriocapillaries
- One of the cell gets an extra chromosome instead of haploid number. The condition is ---->non-disjunction
- \* Have amputation. Pain in the amputated leg & there is abnormal growth of nerves. ---->neuroma
- Inflammation in liver and in lobes adjacent to portal triads bands of inflammation----->
  chronic active hepatitis
- Albumin not filtered from thebasement membrane due to---->
- Albumin doesnt cross glomerular membrane due to---->negative charge of the membrane
- Major source of unsaturated fatty acids is---->soy bean oil
- Hormone status in a post menopause woman---->fsh, lh increased
- Hydrops fetalis occurs to rh -ve mother and rh +ve father. Type of hypersensitivity reaction is it---->type 2
- A young lady presented with boil on labia. Lymphatic drainage---->horizontal group of superficial inguinal



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



#### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

- Hypervitaminosis a causes---->dry skin
- Blood group antigens---->equally immunogenic
- Example of drug- recepatientor interaction---->labetalol bradycardia
- \* Most difficult route of infection to control---->airborne
- Statement about swelling of superficial inguinal lymph nodes---->uterus
- Heat loss through evaporation and non-evaporation depends on---->core body temperature
- \* Take part information of pelvic diaphragm---->puborectalis
- The difference between the mean of 2 groups is determined by---->renal agenesis
- Iron transport in form of---->transferrin
- Muscle responsible for rotation of scapula---->serratus anterior
- If ovarian cycle duration is 21-23 days, when will the ovulation takes place---->7 to 9 days
- Nerve supply to scrotum is from---->ilioinguinal
- Main support of temporomandibular joint is ---> temporomandibular ligament
- Passive movement across memorane by carrier proteins---->passive active transport Biopsy of intestine show villous atrophy and gluten free diet doesn't improve his Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
  - sympatientoms. Diagnosis--->giardiasis
  - Cerebellum is connected to midbrain via--->superior cerebellar peduncle
  - Stretch muscle will cause contraction of --->muscle which is stretched
  - Lymphatic drainage of anal canal (below pectinate line),---->superficial inguinal nodes
  - ❖ A person can walk but unable to stand from sitting position. The most likely muscle involved is---->gluteus maximus muscle
  - \* Take part in formation of pelvic diaphragm---->puborectalis
  - Structures may damage in free margin of lesser omentum---->portal vein, common bile duct and hepatic artery
  - B-cell lymphoma. Investigation is antibody test for---->ebv
  - Pleomorphism ---->thrombocytopenia
  - Lymph drainage from back of skin at level t10 vertebrae is by---->post axillary node
  - Urologist doing transurethral surgery. 2 arteries at 5 n 7 o clock started bleeding and his way is blocked, name of those arteries——>badenochs arteries
  - Parotid duct opens at---->upper 2nd molar



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Bilateral bronchiectasis with thick sputum with eosinophils for 4 years. Cause is----->aspergillosis
- Right border of the heart is formed by---->right ventricle
- Case of htn and headache on lumbar puncture, the csf was blood stained. Likely cause---->subarachnoid hemorrhage
- Csf enters into subarachnoid space----> arachnoid villi
- Carotid sinus---->responds to changing pressure.
- Is notparasympathetic---->tubal
- Parasympathetic supply of heart is via---->vagus nerve
- Clavipectoral fascia which vein ispresent---->cephalic
- Bone cells are related to bone remodeling---->osteoblast and osteoclast
- Biopsy of the distal esophagus is taken. Mucosa in distal esophagus---->non-keratinized, stratified, squamous epithelium
- For abg we use---->arterial whole blood in heparinized tube
- Absolute contraindication of propofol---->hypersensitivity reaction
- After strenuous exercise, subjective feeling of exhaustion occurs due to ----->lactic acid release and decreased ph
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Amino acid source of dna---->histidine d alanine
- Gitelman syndrome is a defect in which part of kidney---->dct
- Most common adverse effect of diazepam used during labor is---->neonatal hypotonia
- Most difficult route of infection to control --- >airborne
- 46xx with ambiguous genitalia.diagnosis --> congenital adrenal hyperplasia
- Alcoholic pt has non-healing marks on body which cell is defective ---->fibroblasts
- Spinal cord termination in adults at level of---->|1
- Most important cells of chronic inflammation---->lymphocytes
- With the internal carotid artery being blocked, the blood passes in reverse direction through an artery that supplies the scalp. ---->supra orbital
- Patient on total parenteral nutrition (tpn) is prone to develop ----->hyperglycemia
- In essential hypertension, atherosclerosis is due to---->hyaline
- Four pillar of medical ethics---->beneficence, justice and non-maleficence
- Characteristics sign of penicillin allergy is---->bronchospasm



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Biopsy above gastroesophageal junction columnar cells with goblet cells are seen. Diagnosis---->metaplasia
- Parasympathetic stimulation causes ---->increase small intestine peristalsis
- Present with greenish foul smelling vaginal discharge. On microscopy motile trophozoites are seen. Organism is responsible---->trichomonas vaginalis
- oval macrocytes hyper segmented neutrophils. Diagnosis is---->vit b12 deficiency
- Is the csf specific gravity---->1.005 to 1.009
- Syphillic gonorrhoeal cyst in the anterior two third of labium majors and minor. Cause---->greater vestibular glands
- Blood group with no agglutinins---->ab positive
- Sample in patient with syphilis is taken from----> genital spores
- Structure which separates superficialand deep part of submandibular gland ----->mylohyoid
- Physiological form of dna in humans is mostly---->b form
- Bronchopulmonary segment——aerated by tertiary bronchus
- Increased neural activity before a skilled voluntary movement is first seen in----->cortical association areas
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Hormone which triggers onset of parturition in mother is ---->niemann pick
- Premature developed respiratory distress. Most likely finding of lung ---->decrease lamellar cells in type 2 pneumocytes
- Shows that the fluid from pleurisy is transudative---->lymphocytes less than 3
- Patient has rash and pruritis below clavicle and above sternal angle dermatome involved---->c3, c4
- Acetaminophen undergoes which metabolic process to appear in urine----->glucuronidation
- Lowest testosterone levels are present in---->preschool
- Mhc-1---->present on chromosome 6
- Non-contracepatientive benefit of contracepatientive pills is---->prevention of ovarian cancers
- Urography of man non contrast media in left lumbar region, dye excreted normal on right side and a little excretion of dye was seen just above side of bladder. Cause is----->pelvic kidney
- Difference between interstitial fluid and plasma osmolarity is---->1
- Platelets are transfused at room temperature---->to opatientimize their function



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





- Deranged alt ast bilirubin, and lipid droplets were seen in hepatocytes. Likely diagnosis---->chronic alcoholism
- Patient with dished-in face appearance, cleft palate, syndactyly, . Conditions is ----->alpert syndrome
- Cell causing hindrance to regeneration of cns---->oligodendrocytes
- heparin requires inhibitor ---->antithrombin3
- Mother milk is deficient in---->iron
- Par boiling paddy helps in storage of which vitamin---->b1
- Severe headache raised icp. Lp csf blood stained---->subarachnoid hemorrhage
- Collagen variety helps in strengthening of wound healing ---->type 1 collagen
- Muscle which helps in opening the eye ---->levator palpabrae superioris
- Intercostal space are arranged inwhich order---->vein, artery, nerve
- Anti-gonadotropin hormone releasedin darkis ---->melatonin
- Endolymph has greater concentration of which ion---->k
- Visceral pleura---->supplied by autonomic nervous system
- hemiplegia on left side, motor neuron lesion plus homonynomas hemianopia. Lesion at---->forebrain
- Cram Statements Inshilah 70 % paper will some from this file. DO not skip this file...
- Hla b27 is associated with——ankylosing spondylitis
- The feature of mild carbon monoxide poisoning is---->decrease ability of 02 to bind hemoglobin
- Specific dietary carcinogen for esophageal carcinoma is---->nitrosamine
- Lymphatic drainage of prostate --->internal iliac nodes
- \* Rpe and sensory retina are bound together because of---->gags
- Structures compressing esophagus are---->left atrium
- Patients risk for breast cancer---->brca-1 mutation
- spleenomegaly with splinter hemorrhage. Investigation for diagnosis---->blood culture
- Urothelium in will have great chance to convert to carcinoma----->bilateral ureteral duplication
- Numerous cyst in kidney and liver. Pattern of inheritance of this disease is----->autosomal recessive
- Female with dragging sensation in abdomen. Best investigation ---->ca 125
- Ischemia of superior mesentericartery involve---->duodenojejunal junction to2/3rd of transverse colon



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Calcitonin is released in which malignancy---->thyroid
- Posterior relation of uncinateprocess of pancreas---->sma
- ❖ Internal environment remains static via---->negative feedback
- Diphtheria has following most likely feature---->exotoxin
- Ejaculation occurs due to---->pudendal nerve
- Cervical dysplasia tests safe and is cost effective---->pap smear
- Nerve supplying the dura of middle cranial fossa---->trigeminal nerve
- Can a mother pass on only to her son if she is a carrier---->hemophilia

\*

- Group with smokers and lung carcinoma is compared to another group with smokers but no lung carcinoma. Type of study ----->case control
- Therapeutic and toxic side effect of loop diuretics is---->low blood volume
- Muscle that traverse shoulder joint capsule---->long head of biceps
- Most important reflex for defecation is ---->rectoanal
- Patient with urticaria was given im adrenaline blood samples show raised---->ige
- ❖ A post adrenalectomy patient. Dies 3 days after the surgery. Likely cause----->deficiency of aldosterone
- Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...
- Veins of brain are direct tributaries of---->dural sinuses
- Bulbourethral gland is a content of ---->deep perineal pouch
- Mean arterial pressure is---->co x tp
- Absent p waves on ecg occurs in podal rhythm
- Bicomuate uterus is associated with pathology in---->kidney
- rh negative female marries a rh positive male who is homozygous, all children will be----->all positive
- Whip like movement of cilia occurs in---->fallopian tube
- Radial artery is palpated between the tendons of which two muscles----->flexor carpi radialis and brachioradialis
- married female secondary amenorrhea fsh and lh levels high, has premature ovarian failure. Most probable cause---->autoimmunity
- Atherosclerosis---->due to internal plaque
- Normal cerebral blood flow---->750ml/min
- Postmortem patient of chronic aortic stenosis will show---->hypertrophy
- Child with frontal bossing bow legs and chest deformity ---->vit d deficiency



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

Most common site of lodgingof ureteric stone is---->pelvic brim when crossingthe Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- iliac artery
- Gas gangrene is caused by organism---->clostridium welchii
- Rigor mortis is due to---->calcium
- Movement of brain limited by---->falx cerebri
- Old girl obese, hirsutism, acne, fsh 122 and lh 40 inc testosterone inc estrogen diagnosis---->pcod
- rigors and chills, high grade fever and not responding to treatment diagnosis is----->acute pyelonephritis
- Dermatome below clavicle but above sternoclavicular joint---->c3-c4
- Alcoholic patient with meningitis, csf show inflammatory cells, organism involved is---->hsv
- Significantly raised afp is characteristic of ---->hepatocellular ca
- One question was fuchs endothelial dystrophy (typical repeat)---->
- Structures compressing esophagus are--->left atrium
- Ribosomes rna major constituent of---->ribosomes
- Dermis ----> na channel is blocked
- Dietary precursor of serotonin is trypatientophan
- Point to point discrete movement of a painter are controlled by----->corticospinal tract
- Saccadic eye movements----> frontal eye field
- Patient develops dvt after laparotomy. Most likely cause is---->stasis + hypercoagulable state
- \* Pretectal nucleus is at the level of---->superior colliculus
- Eye damaged by burning develops corneal edema. Likely cause is ---->direct damage to corneal endothelium
- Free radicles are removed by---->transferrin
- Patient with easy fatigability, pallor, body aches. Labs show hb 6.5, mcv 21 and mchc 24. Cause---->iron deficiency anemia
- ❖ Is a neuroectoderm derivative---->ciliary epithelium
- Damage to first lumbar vertebrawill lead to compression of---->conus medularis
- Mycobacterium doesnt produce exotoxin and endotoxin how it cause inflammation/Infection---->tuberculin



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

Tumor marker for a person with colon carcinoma & no liver metastasis----->carcinoembryonic

Spontaneous pain in big toe and loss of movements of metatarsophalangeal join Cram Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file... Statem Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...

- diagnosis---->synovial fluid analysis
- Left half of pons is related to---->right cerebellar hemisphere & left basal ganglia
- ❖ Pectoral group of axillary nodes drain---->major part of breast

ents Inshllah 70 % paper will come from this file. DO not skip this file...

- A patient on att presented with elevated esr. Cause---->superimposed bacterial infection
- Absolute contraindication of propofol---->hypersensitivity reaction
- Cause of death in gas gangrene is--->toxemia
- ❖ Glucose cross through placenta via--->facilitated diffusion
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Condition is related to lymphatics---->cystic hygroma
- Thermo recepatientors—>long recepatientive field
- Tumor suppressing gene ---->p53
- In a 70 years old man, accommodation power is ---->2d
- Patient has difficulty is shrugging his shoulders. Most likely the nerve damaged is----->accessory nerve
- \* External oblique fibers interdigitate with ---- serratus interior
- Structure is closest to crus cerebri---->substantia nigra
- Trauma to the eyeball by a ball now-presents with diplopia and restricted upward movement. Cause ---->blow out fracture
- Agueous contains more than plasma---->ascorbate
- Inhibition of na k atpase in cardiac muscle---->inc intracellular calcium
- In which part of the kidney does 60- 80% of the filtered water gets reabsorbed within 24 hours---->pct
- Mechanism of action of propylthiouracil is---->blocks synthesis of thyroid
- gestational age 34week has a symphysio fundal height of 28 weeks. Likely cause ---->iugr
- After ovulation primordial follicle rupatientures, bleeds and becomes---->corpus hemorrhagicus
- Cilio-retinal artery, more appropriate ---->good prognosis in crao



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



- Moa of labetalol---->acts on both alpha and beta recepatientors
- An alcoholic man presented with amylase level came to be 1600 diagnosis---->acute pancreatitis
- Approach to splenic vessels through---->lienorenal ligament
- Pulmonary valve opens when the pressure in right ventricle exceeds----->8mmhg
- test performed in disease person and person is positive for that then the test is----->true positive
- Scenario parkinsonism. Which part of brain involved---->substantia nigra
- Hernia lies lateral to the inferior epigastric artery. F diagnosis---->indirect inguinal hernia
- Distance of ora serrata from limbus nasally is ---->7.5mm
- Common step in gluconeogenesis and glycolysis---->fructose-1,6-bisphosphate to fructose-6-phosphate
- The bronchopulmonary segment is aerated by—>tertiary bronchus
- Cram Statements Inshliah 70 % paper will come from this file. DO not skip this file...
- Location of superior parathyroid gland in relation to inferior thyroid artery and recurrent laryngeal nerve is---->gland is posterior to rin and cranial to inferior thyroid artery
- A patient with webbed neck, wide carrying angle and streak ovaries. Diagnosis---->xo
- Pregnant women having fetus with respiratory distress. For lung maturity of fetus, drug given---->betame<mark>thasone</mark>

  ❖ Pacinian corpuscles---->rapidly adapatienting pressure recepatientor
- Type of necrosis seen in heart——>coagulative necrosis
- Will happen in surfactant deficiency——>patchy atelectasis
- Suprarenal glands, statements is true anatomically ---->thoracic splanchnic nerve supply
- Aspiration is prevented by---->closure of false vocal cord
- Episodes of mild jaundice with unconjugated hyper bilirubin levels 45. Diagnosis is----->gilbert syndrome
- patient went to eye specialist. He instilled some drops. Next day, he couldn't read anything. Medication did he put ---->homatropine
- Most active form of thyroid hormones is in state of---->free t3
- 3rd ventricle---->posterior to lamina terminalis
- ❖ 16t sympathetic supply of lower airways is from---->t1-t2
- Supply of av sepatientum mainly is from---->anterior interventricular artery



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





#### FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

- Histological feature of background diabetic retinopathy ---->microaneurysms
- Virus cause cancer by---->proto oncogene
- A part of basal ganglia---->caudate nucleus
- Side effect common to theophylline, nitroglycerine, isoprenaline and antihistamine is---->reflex tachycardia
- Posterior wall of the first part of the duodenum relation with---->gastroduodenal artery
- Chondrocytes present in---->mature cartilage
- Neck of bladder and proximal urethra is supplied by.---->sympathetic l1-l2 via hypogastric plexus
- ❖ Young patient with periorbital edema and feet edema, cause----> decreased albumin Functional layer of endometrium consists of----> stratum compactum and stratum spongiosum Cram Statements Inshllah 70 % paper will come from this file. DO not skip this file...
  - \*
  - Definition of sickness--->sense of one not feeling well
  - Thyroid hormones, maximum concentration, --->t4
  - ❖ Is the most aggressive carcinoma → melanoma
  - 4

Cram Statements Inshilah 70 % paper will come from this file. DO not skip this file...



- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- ✓ Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



### www.facebook.com/FcpsWorld www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld

FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)

# Whatsapp 03129684658 to join whatsapp group of your





- ✓ Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)



www.facebook.com/GynaeObsWorld www.facebook.com/Ophtworld





- Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)





FILE IS ONLY FOR CLASS STUDENTS (DO NOT SHARE)



# <u>GoldStandard</u>

## **FCPS**

- √ Feb 2020 papers (recent updated)
- ✓ Authentic most repeated papers.
- ✓ MCQs with explanation and reference.
- ✓ 1 liner for rapid revision.

  (Cram them)
- Mcqs with explanation and Ref.
- ✓ Clear FCPS-1 in 1st Attempt (Dont miss chance)

✓ Free Cash on Delivery Order at 03100220370



- Now you can join us Online for MD/MS & Fcps Preparation
- ✓ Complete course in 2months including Past paper discussion
- Join from anywhere using mobile/laptop using internet
- √ 100% feasible with job and 100% time adjustment for students
- √ www.fcpsworld.com or Contact 03129684658
- ✓ Hostel Facility is also available (for those who want to join physical classes)